Process Overview

This document provides a model PCBs in Priority Building Materials Screening Assessment process to be conducted by demolition project proponents (Applicants). A flow chart illustrating the above processes is provided in **Attachment A**.

Applicants proposing to demolish buildings must conduct the PCBs screening assessment. Through the PCBs screening assessment Applicants will:

- Determine whether the building proposed for demolition is likely to have PCBs-containing building materials (see discussion of applicable structure); and
- Determine whether PCBs are present at a concentration equal to or greater than 50 parts per million (ppm) in building materials.

Use the *PCBs Screening Assessment Form* (**Attachment B**) to summarize and certify the information required by the municipality to issue the demolition permit. The form is divided into four parts:

- **Part 1** provide Applicant information and project location.
- Part 2 complete the questions to identify
 whether the project involves an <u>applicable</u>
 <u>structure</u>. If the demolition does not involve an
 applicable structure, the form may be certified
 and submitted without completing Part 3.

Water quality within the San Francisco Bay Region is regulated by the San Francisco Bay Area Regional Water Quality Control Board (Regional Water Board).

The Regional Water Board issues the Municipal Regional Permit (MRP)¹ that regulates discharges of stormwater runoff. The MRP includes provisions for reducing discharges of polychlorinated biphenyls (PCBs) in stormwater runoff and requires municipalities to implement a program to manage priority PCBs—containing building materials during demolition.

Existing federal and state regulations create the framework for managing PCBs in building materials once those PCBs are identified through this program and for disposing of wastes containing PCBs.

- **Part 3** complete the questions to provide the concentrations of PCBs in any *priority* building materials.
- Part 4 certify the information being submitted.

Note that fluorescent light ballasts, polyurethane foam furniture, and Askarel fluid used in transformers, all of which may contain PCBs, are typically managed during pre-demolition activities under current regulations and programs that require removal of universal waste and outdated transformers. For this process it is assumed that those materials will be evaluated and managed under those existing programs.

This screening process is part of a program for water quality protection and was designed in accordance with requirements in the MRP. ¹ It does not address other environmental programs or regulations (e.g., PCBs regulations under the Toxic Substances Control Act (TSCA); federal, state, or local regulations for hazardous material handling and hazardous waste disposal; health and safety practices to mitigate human exposure to PCBs or other hazardous materials; recycling mandates; or abatement at sites with PCBs (or other contaminants). **The Applicant is responsible for complying with all relevant laws and regulations. See the Federal and State PCBs Regulations section for additional information.**

¹ A National Pollutant Discharge Elimination System (NPDES) permit issued to municipalities in the counties of Alameda, Contra Costa, San Mateo, and Santa Clara, and the Cities of Fairfield, Suisun City, and Vallejo.